# Inspiron 24 5410 All-in-One

Setup and Specifications



## Notes, cautions, and warnings

(i) NOTE: A NOTE indicates important information that helps you make better use of your product.

CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.

MARNING: A WARNING indicates a potential for property damage, personal injury, or death.

© 2022 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

# **Contents**

Chapter 1: Set up your computer	4
Observation O. Wissers of Installing O. 4 E 440 All in One	•
Chapter 2: Views of Inspiron 24 5410 All-in-One	
Front Retractable camera	
Left	
Back	
Back panel	
Bottom	
Tilt	
1111	
Chantar 7: Specifications of Inspiron 24 E440 All in One	16
Chapter 3: Specifications of Inspiron 24 5410 All-in-One  Dimensions and weight	
Stand	
Processor	
Chipset	
Operating system	
Memory	
Ports and connectors	
Ethernet	
Wireless module	
Audio	
Storage	
Media-card reader	
Camera	
Display	23
Power adapter	23
GPU—Integrated	
GPU—Discrete	24
Operating and storage environment	25
Chapter 4: Dell ComfortView	26
Chanter 5: Getting help and contacting Dell	27

# Set up your computer

1. Set up the stand by inserting it into the slot on the back cover until it snaps into place.



- 2. Set up the keyboard and mouse.
  - NOTE: For setup instructions, see the documentation shipped with the keyboard and mouse.
- 3. Connect the power cable.



**4.** Press the power button.



5. Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- Connect to a network for Windows updates.
  - NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- On the **Support and Protection** screen, enter your contact details.
- 6. Locate and use Dell apps from the Windows Start menu—Recommended

Table 1. Locate Dell apps

Resources	Description
	My Dell
DELL	Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.
	Dell Update
<b>10</b>	Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article 000149088 at www.dell.com/support.

Table 1. Locate Dell apps (continued)

Resources	Description	
	Dell Digital Delivery	
	Download software applications, which are purchased but not preinstalled on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 000129837 at www.dell.com/support.	
	SupportAssist	
<b>₹</b>	SupportAssist proactively and predictively identifies hardware and software issues on your computer and automates the engagement process with Dell Technical support. It addresses performance and stabilization issues, prevents security threats, monitors, and detects hardware failures. For more information, see SupportAssist for Home PCs User's Guide at www.dell.com/serviceabilitytools. Click SupportAssist and then, click SupportAssist for Home PCs.  i NOTE: In SupportAssist, click the warranty expiry date to renew or upgrade your warranty.	

# Views of Inspiron 24 5410 All-in-One

## **Front**



### 1. Retractable-camera assembly

Enables you to videochat, capture photos, and record videos. This camera can be retracted to protect your privacy.

### 2. Left speaker

Provides audio output.

#### 3. Digital-array microphones (2)


Provide digital sound input for audio recording, voice calls, and so on.

### 4. Right speaker

Provides audio output.

## Retractable camera

## Retractable camera for computers shipped with FHD RGB + IR camera



#### 1. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

### 2. Infrared camera

Enhances security when paired with Windows Hello face authentication.

#### 3. Camera

Enables you to video chat, capture photos, and record videos.


### 4. Infrared emitter

Emits infrared light, which enables the infrared camera to sense and track motion.

### 5. Camera-status light

Turns on when the camera is in use.

## Retractable camera for computers shipped with FHD RGB camera



### 1. Camera

Enables you to video chat, capture photos, and record videos.

### 2. Camera-status light

Turns on when the camera is in use.

## Left



### 1. USB 3.2 Gen 2 Type-C port

Connect devices such as external storage devices and printers.

Provides data transfer speeds up to 10 Gbps. PowerShare enables you to charge connected USB devices.

NOTE: Connected USB devices will not charge when the computer is turned off or in sleep state. Turn on the computer to charge the connected USB devices.

## **Back**




### 1. Back panel

Connect USB, audio, video, and other devices.

For more information on the rear ports, see Back panel.

# **Back panel**



### 1. USB 3.1 Gen 1 port with Power on/Wake-up support (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps. Wake the computer from standby with the keyboard or mouse connected to this port.

NOTE: Set the BIOS Deep Sleep control to disabled to enable Wake up when the computer is powered off.

### 2. HDMI-in port

Connect a gaming console, Blu-ray player, or other HDMI-out enabled device.

#### 3. HDMI port

Connect to a TV, external display or another HDMI-in enabled device. Provides video and audio output.

#### 4. Power-adapter port

Connect a power adapter to provide power to your computer.

#### 5. Network port

Connect an Ethernet (RJ45) cable from a router or a broadband modem for network or Internet access, with a transfer rate of 10/100/1000 Mbps.

#### 6. USB 3.1 Gen 2 port with PowerShare

Connect peripherals such as external storage devices and printers.

Provides data transfer speeds up to 10 Gbps. PowerShare enables you to charge connected USB devices.

NOTE: Connected USB devices will not charge when the computer is turned off. Please set BIOS Deep Sleep control to disabled to start charging when the computer is powered off.

#### 7. USB 3.1 Gen 1 port with Power on/Wake-up support

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps. Wake the computer from standby with the keyboard or mouse connected to this port.

i NOTE: Set the BIOS Deep Sleep control to disabled to enable Wake up when the computer is powered off.

#### 8. Universal audio jack


Connect audio-output devices such as speakers, amplifiers, and so on.

### 9. SD-card slot

Reads from and writes to the SD card. The computer supports the following card types:

- Secure Digital (SD)
- Secure Digital High Capacity (SDHC)
- Secure Digital Extended Capacity (SDXC)

## **Bottom**



#### 1. Power button

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

NOTE: You can customize the power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

### 2. Display Built-in Self Test button/Input-source selection button

This button has two functions:

- When the computer is on, use this button to select the video input-source.
   Press the button to switch the display between the internal system display and HDMI input.
- When the computer is off (there is no power; neither is it in sleep state nor hibernate state), use this button to run the built-in self-test for the display.

Press and hold down this button, and then press the power button to turn on the computer. The built-in color pattern for the LCD monitor will appear on the screen.

For more information, see the Troubleshooting section in the Service Manual at www.dell.com/support/manuals.

#### 3. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

## Tilt

### Y stand



## Isosceles stand



# Specifications of Inspiron 24 5410 All-in-One

# **Dimensions and weight**

The following table provides the dimensions and weight of your Inspiron 24 5410 All-in-One without stand.

Table 2. Computer dimensions and weight (without stand)

Description		Values
Height		
	Front	353.80 mm (13.93 in.)  i NOTE: The height of your computer varies depending on the stand installed.
	Rear	358.50 mm (14.11 in.)  i NOTE: The height of your computer varies depending on the stand installed.
Width		542.70 mm (21.37 in.)
Depth		40.20 mm (1.58 in.)
Weight		<ul> <li>5.42 kg (11.95 lb) - maximum for touchscreen</li> <li>5.39 kg (11.88 lb) - maximum for non-touchscreen</li> <li>i) NOTE: The weight of your computer varies depending on the configuration ordered and the manufacturing variability.</li> </ul>


## **Stand**

The following table provides the height, width, depth, and weight of the stand supported by your Inspiron 24 5410 All-in-One.

Table 3. Stand

Description	Y stand	Isosceles stand
Height	96.81 mm (3.81 in.)	97.56 mm (3.84 in.)
Width	72.25 mm (2.84 in.)	66.95 mm (2.63 in.)
Depth	199.55 mm (7.85 in.)	200.77 mm (7.90 in.)
Weight	0.24 kg (0.53 lb)	0.32 kg (0.71 lb)

## Y stand




The following table provides the dimensions of the computer with Y stand installed.

Table 4. Y stand dimensions

Description	Dimensions
0	412.32 mm (16.24 in.)
2	199.55 mm (7.86 in.)
<b>3</b>	390.71 mm (15.38 in.)
4	228.19 mm (8.98 in.)
<b>5</b>	440.30 mm (17.34 in.)
6	542.70 mm (21.37 in.)

## Isosceles stand



The following table provides the dimensions of the computer with Isosceles stand installed.

Table 5. Isosceles stand

Description	Dimensions
0	412.32 mm (16.24 in.)
2	200.77 mm (7.90 in.)
<b>3</b>	390.71 mm (15.38 in.)
4	228.87 mm (9.01 in.)
<b>5</b>	440.30 mm (17.34 in.)
6	542.70 mm (21.37 in.)

## **Processor**

The following table lists the details of the processors supported by your Inspiron 24 5410 All-in-One.

Table 6. Processor

Description	Option one	Option two	Option three	Option four	Option five
Processor type	Intel Pentium 7305	Intel Pentium 8505	12 <sup>th</sup> Generation Intel Core i3-1215U	12 <sup>th</sup> Generation Intel Core i5-1235U	12 <sup>th</sup> Generation Intel Core i7-1255U
Processor wattage	15 W	15 W	15 W	15 W	15 W
Processor core count	5	5	6	10	10
Processor speed	Up to 1.10 GHz	Up to 4.40 GHz	Up to 4.40 GHz	Up to 4.40 GHz	Up to 4.70 GHz
Processor cache	8 MB	8 MB	10 MB	12 MB	12 MB
Integrated graphics	Intel UHD Graphics	Intel UHD Graphics	Intel UHD Graphics	<ul> <li>Intel UHD         Graphics</li> <li>Intel Iris X<sup>e</sup>         Graphics</li> </ul>	<ul> <li>Intel UHD         Graphics</li> <li>Intel Iris X<sup>e</sup>         Graphics</li> </ul>

# **Chipset**

The following table lists the details of the chipset supported by your Inspiron 24 5410 All-in-One.

Table 7. Chipset

Description	Values
Chipset	Integrated in the processor
Processor	<ul> <li>12<sup>th</sup> Generation Intel Core i3/i5/i7</li> <li>Intel Pentium</li> </ul>
DRAM bus width	64-bit
Flash EPROM	32 MB
PCle bus	Up to Gen4.0

# **Operating system**

Your Inspiron 24 5410 All-in-One supports the following operating systems:

- Windows 11 Pro, 64-bit
- Windows 11 Home, 64-bit

# **Memory**

The following table lists the memory specifications of your Inspiron 24 5410 All-in-One.

### **Table 8. Memory specifications**

Description	Values	
Memory slots	Two SODIMM slots	
Memory type	DDR4	
Memory speed	3200 MHz	
Maximum memory configuration	32 GB	
Minimum memory configuration	4 GB	
Memory size per slot	4 GB, 8 GB, 16 GB, 32 GB	
Memory configurations supported	<ul> <li>4 GB, 1 x 4 GB, DDR4, 3200 MHz</li> <li>8 GB, 2 x 4 GB, DDR4, 3200 MHz</li> <li>8 GB, 1 x 8 GB, DDR4, 3200 MHz</li> <li>12 GB, 1 x 4 GB + 1 x 8 GB, DDR4, 3200 MHz</li> <li>16 GB, 2 x 8 GB, DDR4, 3200 MHz</li> <li>16 GB, 1 x 16 GB, DDR4, 3200 MHz</li> <li>24 GB, 1 x 8 GB + 1 x 16 GB, DDR4, 3200 MHz</li> <li>32 GB, 2 x 16 GB, DDR4, 3200 MHz</li> <li>32 GB, 1 x 32 GB, DDR4, 3200 MHz</li> </ul>	

## Ports and connectors

The following table lists the external and internal ports available on your Inspiron 24 5410 All-in-One.

Table 9. Ports and connectors

Description	Values
External:	
Network	One RJ-45 port
USB	<ul> <li>Three USB 3.1 Gen 1 ports with Power on/Wake-up support</li> <li>One USB 3.1 Gen 2 port with PowerShare</li> <li>One USB 3.2 Gen 2 (Type-C) port</li> <li>NOTE: You can connect a Dell Docking Station to this port. For more information, see the knowledge base article 000124295 at www.dell.com/support.</li> </ul>
Audio	One universal audio jack

Table 9. Ports and connectors (continued)

Description	Values
Video	One HDMI 1.4b port  One HDMI-in 1.4b port
Media-card reader	One SD-card slot
Power port	One 4.5 mm x 2.9 mm DC-in
Security	Not supported
Internal:	
SATA	One SATA slot for 2.5-inch HDD
M.2	<ul> <li>One M.2 2230 slot for WiFi and Bluetooth combo card</li> <li>One M.2 2230/2280 slot for solid-state drive</li> <li>i) NOTE: To learn more about the features of different types of M.2 cards, search in the Knowledge Base Resource at www.dell.com/support.</li> </ul>

# **Ethernet**

The following table lists the wired Ethernet Local Area Network (LAN) specifications of your Inspiron 24 5410 All-in-One.

### Table 10. Ethernet specifications

Description	Values	
	Intel AX211 PCI-e Gigabit ethernet controller/Killer 1690i PCI-e Gigabit ethernet controller	
Transfer rate	10/100/1000 Mbps	

## Wireless module

The following table lists the Wireless Local Area Network (WLAN) modules supported on your Inspiron 24 5410 All-in-One.

Table 11. Wireless module specifications

Description	Option one	Option two
Model number	Intel AX201	Intel AX211
Transfer rate	Up to 2400 Mbps	Up to 2400 Mbps
Frequency bands supported	2.4 GHz/5 GHz	2.4 GHz/5 GHz/6 GHz
Wireless standards	<ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6 (WiFi 802.11ax)</li> </ul>	<ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6E (WiFi 802.11ax)</li> </ul>
Encryption	<ul><li>64-bit/128-bit WEP</li><li>AES-CCMP</li><li>TKIP</li></ul>	<ul><li>64-bit/128-bit WEP</li><li>AES-CCMP</li><li>TKIP</li></ul>

Table 11. Wireless module specifications (continued)

Description	Option one	Option two
Bluetooth	Bluetooth 5.2	Bluetooth 5.2

## **Audio**

The following table lists the audio specifications of your Inspiron 24 5410 All-in-One.

### Table 12. Audio specifications

Description		Values	
Audio controller		Realtek ALC3289	
Stereo conversion		Supported	
Internal audio interface	Э	High definition audio	
External audio interfac	се	Universal audio jack	
Number of speakers		2	
Internal-speaker amplifier		Supported	
External volume contro	ols	Not supported	
Speaker output:			
	Average speaker output	5 W	
Peak speaker output		6 W	
Subwoofer output		Not supported	
Microphone		Digital-array microphones	

## **Storage**

This section lists the storage options on your Inspiron 24 5410 All-in-One.

Your Inspiron 24 5410 All-in-One supports one of the following storage configurations:

- One 2.5-inch hard-drive
- One M.2 2230/2280 solid-state drive
- One 2.5-inch hard-drive and one M.2 2230/2280 solid-state drive

The primary drive of your Inspiron 24 5410 All-in-One varies with the storage configuration. For computers shipped:

- with an M.2 drive, the M.2 drive is the primary drive.
- without an M.2 drive, the 2.5-inch hard drive is the primary drive.
- with both M.2 drive and 2.5-inch hard drive, the M.2 drive is the primary drive.

## Table 13. Storage specifications

Storage type	Interface type	Capacity
2.5-inch hard-drive	SATA AHCI, up to 6 Gbps	Up to 2 TB
M.2 2230 solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 1 TB
M.2 2230 solid-state drive	PCle Gen4 x4 NVMe, up to 64 Gbps	Up to 1 TB

### Table 13. Storage specifications (continued)

Storage type	Interface type	Capacity
M.2 2280, QLC solid-state drive	PCle Gen3 x4 NVMe, up to 32 Gbps	Up to 1 TB

## Media-card reader

The following table lists the media cards supported by your Inspiron 24 5410 All-in-One.

### Table 14. Media-card reader specifications

Description	Values
Media-card type	One SD-card slot
Media-cards supported	<ul> <li>Secure Digital (SD)</li> <li>Secure Digital High Capacity (SDHC)</li> <li>Secure Digital Extended Capacity (SDXC)</li> </ul>
installed in your computer.	

## Camera

The following table lists the camera specifications of your Inspiron 24 5410 All-in-One.

### **Table 15. Camera specifications**

Description		Values	
Num	ber of cameras	One	
Camera type		FHD RGB camera     FHD RGB + Infrared camera	
Came	era location	Front camera	
Came	era sensor type	CMOS sensor technology	
Camera resolution:			
	Still image	2.07 megapixel	
	Video	1920 x 1080 (FHD) at 30 fps	
Infrared camera resolution:			
	Still image	0.31 megapixel	
	Video	640 x 480 (VGA) at 30 fps	
Diago	onal viewing angle:		
	Camera	82 degrees	
	Infrared camera	77.3 degrees	

# **Display**

The following table lists the display specifications of your Inspiron 24 5410 All-in-One.

Table 16. Display specifications

Description	Option one	Option two
Display type	Full High Definition (FHD)	Full High Definition (FHD)
Display-panel technology	Wide Viewing Angle (WVA)	Wide Viewing Angle (WVA)
Display-panel dimensions (active are	а):	
Height	296.46 mm (11.67 in.)	296.46 mm (11.67 in.)
Width	527.04 mm (20.75 in.)	527.04 mm (20.75 in.)
Diagonal	604.70 mm (23.80 in.)	604.70 mm (23.80 in.)
Display-panel native resolution	1920 x 1080	1920 x 1080
Luminance (typical)	300 nits	250 nits
Megapixels	2.07	2.07
Color gamut	99% (sRGB) - typical	99% (sRGB) - typical
Pixels Per Inch (PPI)	92	92
Contrast ratio (min.)	700:1	700:1
Response time (max.)	25 ms	25 ms
Refresh rate	60 Hz	60 Hz
Horizontal view angle	85 +/- degrees - minimum	85 +/- degrees - minimum
Vertical view angle	85 +/- degrees - minimum	85 +/- degrees - minimum
Pixel pitch	0.2745 mm x 0.2745 mm	0.2745 mm x 0.2745 mm
Power consumption (maximum)	17.24 W	12.70 W
Anti-glare vs glossy finish	Anti-glare	Anti-glare
Touch options	Touch support with 10 touch points	No

# Power adapter

The following table lists the power adapter specifications of your Inspiron 24 5410 All-in-One.

Table 17. Power adapter specifications

Description		Option one	Option two
Туре		90 W	130 W
Connector dimensions:			
	External diameter	4.50 mm	4.50 mm

Table 17. Power adapter specifications (continued)

Description		Option one	Option two
	Internal diameter	2.90 mm	2.90 mm
Powe	er-adapter dimensions:		
	Height	1.30 mm (0.05 in.)	1.00 mm (0.04 in.)
	Width	2 mm (0.08 in.)	3 mm (0.12 in.)
	Depth	5 mm (0.20 in.)	6.1 mm (0.24 in.)
Input	t voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input	t frequency	50 Hz-60 Hz	50 Hz-60 Hz
Input	t current (maximum)	1.50 A	2.50 A
Outp	out current (continuous)	4.62 A	6.70 A
Rated output voltage		19.50 VDC	19.50 VDC
Temperature range:			
	Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
	Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.

# **GPU—Integrated**

The following table lists the specifications of the integrated Graphics Processing Unit (GPU) supported by your Inspiron 24 5410 All-in-One.

### Table 18. GPU—Integrated

Controller	Memory size	Processor
Intel Iris X <sup>e</sup> Graphics	Shared system memory	12 <sup>th</sup> Generation Intel Core i5/i7
Intel UHD Graphics		12 <sup>th</sup> Generation Intel Core i3, Intel Pentium 8505/7305

# **GPU—Discrete**

The following table lists the specifications of the discrete Graphics Processing Unit (GPU) supported by your Inspiron 24 5410 All-in-One.

### Table 19. GPU—Discrete

Controller	Memory size	Memory type
NVIDIA GeForce MX550	2 GB	GDDR6

# Operating and storage environment

This table lists the operating and storage specifications of your Inspiron 24 5410 All-in-One.

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

### Table 20. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G†
Altitude range	-15.2 m to 3048 m (-49.87 ft to 10000 ft)	-15.2 m to 10668 m (-49.87 ft to 35000 ft)

CAUTION: Operating and storage temperature ranges may differ among components, so operating or storing the device outside these ranges may impact the performance of specific components.

 $<sup>\</sup>ensuremath{^{*}}$  Measured using a random vibration spectrum that simulates user environment.

<sup>†</sup> Measured using a 2 ms half-sine pulse.

## **Dell ComfortView**

CAUTION: Prolonged exposure to blue light, particularly from digital sources, may disrupt sleep patterns and cause long-term effects such as eye strain, eye fatigue, or damage to the eyes.

Blue light is a color in the white light spectrum which has a short wavelength and high frequency. Chronic exposure to blue light, particularly from digital sources, may disrupt sleep patterns and change our body's Circadian rhythm. Using the computer for an extended period may also cause fatigue in other body parts such as the neck, arm, back, and shoulder.

Dell low blue light displays optimize eye comfort with a flicker-free screen. The device uses flicker-free technology and maintains a stable backlight. Flicker-Free technology clears the visible flicker, brings comfortable viewing experience, and protects users from eye strain and fatigue. The ComfortView feature reduces the amount of blue light emitted from the monitor to optimize eye comfort. ComfortView mode can be enabled and configured using the **Dell CinemaColor** (DCC) application. Dell ComfortView has been certified by TÜV Rheinland as a low blue light software solution.

## Dell CinemaColor

Dell CinemaColor (DCC) combines the hardware and software to deliver clear visuals that appear every bit as vibrant as the world around you. The DCC has four color profiles that optimize these settings depending on the content and your surroundings.

When you open DCC, you can choose **Movie (default)**, **ComfortView**, **Sports**, or **Animation** from the list. The ComfortView Profile optimizes eye comfort with a Low Blue Light software solution that meets TÜV standards to reduce harmful blue light emissions to make extended screen time easy on your eyes compared to standard digital panels while still retaining the vibrant colors.

ComfortView mode is certified by TÜV for the effective reduction of hazardous blue light by adjusting display parameters. You can adjust the Saturation, Temperature, and Contrast values to create your custom setting in the ComfortView mode.

NOTE: For more information on how to download and install DellCinema components, search about it in the Knowledge Base Resource at https://www.dell.com/support.

## ComfortView Plus

ComfortView Plus is a built-in, always-on, and virtually unnoticeable low blue light solution for Dell displays. ComfortView Plus employs a hardware-based design that allows for a wider blue spectrum, with a much lower peak and reduced intensity. Dell ComfortView Plus has been certified by TÜV Rheinland as a low blue light hardware solution. This feature is enabled at the factory.

i NOTE: ComfortView Plus is an optional hardware feature to be configured at the point of sale.

To reduce the risk of eye strain, it is also recommended that you:

- Position the display at a comfortable viewing distance between 20 in. to 28 in. (50 cm and 70 cm) from your eyes.
- Blink frequently to moisten your eyes, wet your eyes with water, or apply suitable eye drops.
- Look away from your display, and gaze at a distant object at 20 ft (609.60 cm) away for at least 20 seconds during each break.
- Take an extended break for 20 minutes every two hours.

# Getting help and contacting Dell

## Self-help resources

You can get information and help on Dell products and services using these self-help resources:

Table 21. Self-help resources

Self-help resources	Resource location	
Information about Dell products and services	www.dell.com	
My Dell app	DELL	
Tips	*	
Contact Support	In Windows search, type Contact Support, and press Enter.	
Online help for operating system	www.dell.com/support/windows	
Access top solutions, diagnostics, drivers and downloads, and learn more about your computer through videos, manuals and documents.	Your Dell computer is uniquely identified by a Service Tag or Express Service Code. To view relevant support resources for your Dell computer, enter the Service Tag or Express Service Code at www.dell.com/support.  For more information on how to find the Service Tag for your computer, see Locate the Service Tag on your computer.	
Dell knowledge base articles for a variety of computer concerns	<ol> <li>Go to www.dell.com/support.</li> <li>On the menu bar at the top of the Support page, select Support &gt; Knowledge Base.</li> <li>In the Search field on the Knowledge Base page, type the keyword, topic, or model number, and then click or tap the search icon to view the related articles.</li> </ol>	

## Contacting Dell

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- (i) NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active Internet connection, you can find contact information about your purchase invoice, packing slip, bill, or Dell product catalog.